Author Index

Abdallah, M. A., see Demange, P. 291
Abusteit, E. O., see Parker, C. E. 359
Aguilar, M. I., see Hearn, M. T. W. 197
Archer, A. W.
Determination of safrole and myristicin in nutmeg and mace by high-performance liquid chromatography 117
Badreldin, M. M., see Moneam, N. M. A. 438
Beasley, T. M., see Zaromb, S. 100
Beauvallet, C.
——, Hountondji, C. and Schmitter, J.-M.
Analytical strategy for determination of active site sequences in aminoacyl-tRNA synthetases 347
Begley, P.
—— and Foulger, B. E.
Detection of trace levels of triclopyr using capillary gas chromatography–electron-capture negative-ion chemical ionization mass spectrometry 45
Beránková, E., see Rauch, P. 451
B'Hymer, C.
Static headspace gas chromatographic method for the determination of residual solvents in vigabatrin drug substance 103
Bingchang Lin
——, Jida Wang and Bingcheng Lin
Influence of the partition isotherm on the elution curve 171
Bingcheng Lin, see Bingchang Lin 171
Boese, F. G.
Contributions to a mathematical theory of free-flow electrophoresis 145
Brandts, P. M.
——, Gelsema, W. J. and De Ligny, C. L.
Influence of additives to the eluent on hydrophobic interaction chromatography of simple compounds. V. Influence of pH and electrolytes on the retention of *n*-alkylammonium ions and *n*-alkyl carboxylates 181
Brindle, P. A., see Brooks, C. J. W. 108
Brooks, C. J. W.
——, Brindle, P. A., Cole, W. J. and Watson, D. G.
Analytical separations of enantiomeric primary amines as pyrrole derivatives formed by reaction with polygodial 108
Carroll, D. L., see Tavss, E. A. 273, 281
Chang, F. C., see Iida, T. 423
Chartier, A.
——, Gonnet, C., Morel, D., Rocca, J. L. and Serpinet, J.
Mixed bonded phases for high-performance liquid chromatography. I. Synthesis and physico-chemical characterization 263
Cole, W. J., see Brooks, C. J. W. 108
Corbin, F. T., see Parker, C. E. 359
Daimon, E., see Nakano, K. 61
Davídek, J., see Hajšlová, J. 55
Davis, L. J., see Pomaville, R. M. 1
De Ligny, C. L., see Brandts, P. M. 181
Demange, P.
——, Abdallah, M. A. and Frank, H.
Assignment of the configurations of the amino acids in peptidic siderophores 291
El Sharaky, A. S., see Moneam, N. M. A. 438
Eriksson, J. E., see Meriluoto, J. A. O. 93
Foulger, B. E., see Begley, P. 45
Frank, H., see Demange, P. 291
Fujimoto, C.
——, Morita, T. and Jinno, K.
Microcolumn high-performance liquid chromatography–thin-layer chromatography–Fourier transform infrared spectrometry 329
Funazo, K., see Tanaka, M. 253
Gagosian, R. B., see Kawamura, K. 299, 309
Games, D. E., see Parker, C. E. 359
Geeson, A. V., see Parker, C. E. 359
Gelsema, W. J., see Brandts, P. M. 181
Gonnet, C., see Chartier, A. 263
Goto, J., see Iida, T. 423
Gross, M., see Klemm, D. 122
Guoshi Tu, see Yongxin Zhu 447
Hajšlová, J.
——, Pudil, F., Jehličková, Z., Víden, I. and Davídek, J.
Gas chromatographic–mass spectrometric investigation of phenoxypropanoic acid derivatives possessing herbicidal activity 55
Hartmann, M., see Klemm, D. 122
Hashimoto, K.
——, Sekine, T., Omori, T. and Yoshihara, K.
Adsorption behaviour of tris(*β*-diketonato)-metal(III) complexes on silica gel 401
Hayashi, Y., see Matsuda, R. 319

Hearn, M. T. W.
——, Aguilar, M. I., Mant, C. T. and Hodges, R. S.
High-performance liquid chromatography of amino acids, peptides and proteins. LXXXV. Evaluation of the use of hydrophobicity coefficients for the prediction of peptide elution profiles 197
Herraiz, M., see Reglero, G. 243
Herraiz, T., see Reglero, G. 243
Hirose, A.
—— and Ishii, D.
Microcolumn chromatofocusing. III. Effect of the analysis time on the resolution and the use of a semi-disposable microcolumn 15
Hodges, R. S., see Hearn, M. T. W. 197
Hoffmann, T. J., see Thompson, R. D. 369
Honda, S.
——, Suzuki, S., Nitta, T. and Kakehi, K.
Analytical high-performance affinity chromatography of ovalbumin-derived glycopeptides on columns of concanavalin A- and wheat germ agglutinin-immobilized gels 73
Hosoe, M.
——, Oi, T., Kawada, K. and Kakihana, H.
Fractionation of rubidium isotopes in cation-exchange chromatography 225
Hountondji, C., see Beauvallet, C. 347
Iida, T.
——, Shinohara, T., Momose, T., Chang, F. C., Goto, J. and Nambara, T.
Separation of keto and keto-hydroxy bile acid isomers by high-performance liquid chromatography 423
Imaizumi, K., see Nakano, K. 61
Ishibashi, M., see Matsuda, R. 319
Ishii, D., see Hirose, A. 15
Italia, M. P.
—— and Uden, P. C.
Multiple element emission spectral detection gas chromatographic profiles of halogenated products from chlorination of humic acid and drinking water 35
Janeček. M.
——, Kahle, V. and Krejčí, M.
Ultraviolet fibre optic photometric cell with an effective volume of 30 nl for micro-scale high-performance liquid chromatography 409
Jehličková, Z., see Hajšlová, J. 55
Jelínek, I., see Snopek, J. 211
Jenny, H. B.
—— and Peter, H. H.
Determination of desferrioxamine B, its complexes with iron and aluminium and selected derivatives by high-performance liquid chromatography using a polymer column 433
Jianmin Wu, see Yongxin Zhu 447
Jida Wang, see Bingchang Lin 171
Jinno, K., see Fujimoto, C. 329
Johnsen, S.
—— and Kolset, K.
The mass-selective detector as a chlorine-selective detector 233
Jorgenson, J. W., see Rose, D. J. 23
Jumar, A., see Klemm, D. 122
Kahle, V., see Janeček, M. 409
Kakehi, K., see Honda, S. 73
Kakihana, H., see Hosoe, M. 225
Kamino, M., see Tanaka, M. 253
Káš, J., see Rauch, P. 451
Kaul, R.
——, Olsson, U. and Mattiasson, B.
Affinity chromatography on a hydrophobic matrix using a heterobifunctional ligand 339
Kawada, K., see Hosoe, M. 225
Kawamura, K.
—— and Gagosian, R. B.
Identification of aliphatic keto carboxylic acids in marine aerosols using capillary gas chromatography–mass spectrometry 299
—— and Gagosian, R. B.
Identification of isomeric hydroxy fatty acids in aerosol samples by capillary gas chromatography–mass spectrometry 309
Kedong Yan, see Yongxin Zhu 447
Klemm, D.
——, Hartmann, M., Stein, A., Schnabelrauch, M., Spangenberg, S., Gross, M., Klepel, M. and Jumar, A.
Dünnschichtchromatographische Untersuchungen biocider 2-Brom-2-nitro-propan-Derivative 122
Klepel, M., see Klemm, D. 122
Kolset, K., see Johnsen, S. 233
Krejčí, M., see Janeček, M. 409
Kusaka, K., see Nakano, K. 61
Landers, G. M.
—— and Olson, J. A.
Rapid, simultaneous determination of isomers of retinal, retinal oxime and retinol by high-performance liquid chromatography 383
Langseth, W.
Separation of inorganic and organomercury chelates on a polystyrene–divinylbenzene copolymer column 414
Lee, H. K.
——, Li, S. F. Y. and Tay, Y. H.
High-performance liquid chromatography of eleven priority substituted phenols by isocratic elution 429
Li, S. F. Y., see Lee, H. K. 429
Ligny, C. L. de, see Brandts, P. M. 181
Loyola, E., see Reglero, G. 243

Mant, C. T., see Hearn, M. T. W. 197
Matejovič, I.
—— and Polonský, J.
Capillary isotachophoresis in the study of the absorption of inorganic ions by roots of intact plants 454
Matisová, E.
Identification of alkylbenzenes by capillary gas chromatography and combined gas chromatography–mass spectrometry (Review) 131
Matsuda, R.
——, Hayashi, Y., Ishibashi, M. and Takeda, Y.
Totally automated robotic system for liquid chromatographic analysis of solid dosage formulations with the aid of a reduced Kalman filter 319
Mattiasson, B., see Kaul, R. 339
Mazzo, D. J.
—— and Snyder, P. A.
High-performance liquid chromatography of timolol and potential degradates on dynamically modified silica 85
Meriluoto, J. A. O.
—— and Eriksson, J. E.
Rapid analysis of peptide toxins in cyanobacteria 93
Miyano, S., see Nakano, K. 61
Momose, T., see Iida, T. 423
Moneam, N. M. A.
——, El Sharaky, A. S. and Badreldin, M. M.
Oestrogen content of pomegranate seeds 438
Morel, D., see Chartier, A. 263
Morita, T., see Fujimoto, C. 329
Mucha, I.
—— and Tóth, G.
Separation of ^{125}I-labelled prostaglandin E_2-tyrosine methyl ester by reversed-phase high-performance liquid chromatography 111
Nakano, K.
——, Sekino, Y., Yomo, N., Wakayama, S., Miyano, S., Kusaka, K., Daimon, E., Imaizumi, K., Totsuka, Y., Oda, S. and Yamada, Y.
High-performance liquid chromatography of carthamin, safflor yellow A and a precursor of carthamin. Application to the investigation of an unknown red pigment produced in cultured cells of safflower 61
Nambara, T., see Iida, T. 423
Nitta, T., see Honda, S. 73
Oda, S., see Nakano, K. 61
Oi, T., see Hosoe, M. 225
Olson, J. A., see Landers, G. M. 383
Olsson, U., see Kaul, R. 339
Omori, T., see Hashimoto, K. 401
Palamareva, M. D.
Chromatographic behaviour of diastereoisomers. IX. Application of a microcomputer program to the thin-layer chromatographic separation of some diastereoisomers on silica 219
Parker, C. E.
——, Geeson, A. V., Games, D. E., Ramsey, E. D., Abusteit, E. O., Corbin, F. T. and Tomer, K. B.
Thermospray liquid chromatographic–mass spectrometric method for the analysis of metribuzin and its metabolites 359
Peltonen, K., see Pukkila, J. 443
Peter, H. H., see Jenny, H. B. 433
Polonský, J., see Matejovič, I. 454
Pomaville, R. M.
——, Poole, S. K., Davis, L. J. and Poole, C. F.
Solute–solvent interactions in tetra-*n*-butylphosphonium salts studied by gas chromatography 1
Poole, C. F., see Pomaville, R. M. 1
Poole, S. K., see Pomaville, R. M. 1
Pudil, F., see Hajšlová, J. 55
Pukkila, J.
——, Peltonen, K. and Savolainen, T.
Determination of 2-phenyl-2-imidazoline in air by high-performance liquid chromatography with ultraviolet detection 443
Ramsey, E. D., see Parker, C. E. 359
Rauch, P.
——, Beránková, E., Valentová, O., Sajdok, J. and Káš, J.
High-performance anion exchange chromatography of rennet enzymes 451
Reed, A. N.
Quantitation of triazole and pyrimidine plant growth retardants 393
Reglero, G.
——, Herraiz, M., Herraiz, T. and Loyola, E.
Comparison of the performances of hot and cold sample introduction with a programmed-temperature vaporizer in the split and splitless modes 243
Robinson, R. S., see Tavss, E. A. 273, 281
Rocca, J. L., see Chartier, A. 263
Rose, D. J.
—— and Jorgenson, J. W.
Fraction collector for capillary zone electrophoresis 23
Sajdok, J., see Rauch, P. 451
Santalucia, J., see Tavss, E. A. 273, 281
Savolainen, T., see Pukkila, J. 443
Schmitter, J.-M., see Beauvallet, C. 347
Schnabelrauch, M., see Klemm, D. 122
Sekine, T., see Hashimoto, K. 401
Sekino, Y., see Nakano, K. 61

Serpinet, J., see Chartier, A. 263
Shinohara, T., see Iida, T. 423
Shono, T., see Tanaka, M. 253
Smolková-Keulemansová, E., see Snopek, J. 211
Snopek, J.
——, Jelínek, I. and Smolková-Keulemansová, E.
Use of cyclodextrins in isotachophoresis. IV. The influence of cyclodextrins on the chiral resolution of ephedrine alkaloid enantiomers 211
Snyder, P. A., see Mazzo, D. J. 85
Spangenberg, S., see Klemm, D. 122
Stein, A., see Klemm, D. 122
Suzuki, S., see Honda, S. 73
Takeda, Y., see Matsuda, R. 319
Tanaka, M.
——, Yasaka, Y., Kamino, M., Shono, T., Funazo, K. and Wu, H.-L.
Polymeric pentafluorobenzylating reagent for gas chromatography of inorganic anions with electron-capture detection 253
Tavss, E. A.
——, Santalucia, J., Robinson, R. S. and Carroll, D. L.
Analysis of flavor absorption into plastic packaging materials using multiple headspace extraction gas chromatography 281
——, Wiet, S. G., Robinson, R. S., Santalucia, J. and Carroll, D. L.
Flavor characterization of dentifrices using kinetic headspace gas chromatography 273
Tay, Y. H., see Lee, H. K. 429
Thompson, R. D.
—— and Hoffmann, T. J.
Determination of coumarin as an adulterant in vanilla flavoring products by high-performance liquid chromatography 369
Tomar, K. B., see Parker, C. E. 359
Tóth, G., see Mucha, I. 111
Totsuka, Y., see Nakano, K. 61
Uden, P. C., see Italia, M. P. 35
Valentová, O., see Rauch, P. 451
Víden, I., see Hajšlová, J. 55
Wakayama, S., see Nakano, K. 61
Watson, D. G., see Brooks, C. J. W. 108
Wiet, S. G., see Tavss, E. A. 273
Wilson, I. D.
Comparison of non-hydrophobic C_{18} bonded thin-layer and high-performance thin-layer chromatography plates for reversed-phase thin-layer chromatography of ecdysteroids 419
Wu, H.-L., see Tanaka, M. 253
Yamada, Y., see Nakano, K. 61
Yasaka, Y., see Tanaka, M. 253
Yomo, N., see Nakano, K. 61
Yongxin Zhu
——, Kedong Yan, Jianmin Wu and Guoshi Tu
Assay of lignans of *Schizandra chinensis* in Sheng Mai San by high-performance liquid chromatography 447
Yoshihara, K., see Hashimoto, K. 401
Zaromb, S.
—— and Beasley, T. M.
Technique for calibrating air samplers and certain other analytical devices 100